

RECEIVED

Permit No. 39822

JAN 21 1975  
STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, FARMERS IRRIGATION DISTRICT

(Name of applicant)

of P. O. Box 155

(Mailing address)

Hood River

(City)

State of Oregon

97031

(Zip Code)

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hood River main stream

(Name of stream)

, a tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 30

cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is for the application of spray

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

on orchards

4. The point of diversion is located 2,250 ft. N and 470 ft. E from the SW

(N. or S.)

(E. or W.)

corner of Section 31

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SW 1/4 of Sec. 31, Tp. 2N

(Give smallest legal subdivision)

(N. or S.)

R. 10 E, W. M., in the county of Hood River

(E. or W.)

5. The through existing ditch, canal and pipe lines

(Main ditch, canal or pipe line)

to be

(Miles or feet)

in length, terminating in the of Sec. , Tp. ,

(Smallest legal subdivision)

(N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam Same as presently exists feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate See A

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

Not applicable

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



Separate Sheet for  
 Item No. 8 of Application No. 52624  
 Listing for place of use of water for the application of spray on orchards  
 within the boundaries of the Farmer's Irrigation District

<p style="text-align: center;">W<math>\frac{1}{2}</math> SW<math>\frac{1}{4}</math> of Section 26</p> <p style="text-align: center;">E<math>\frac{1}{2}</math> SW<math>\frac{1}{4}</math> and SE<math>\frac{1}{4}</math> of Section 27</p> <p style="text-align: center;">E<math>\frac{1}{2}</math> E<math>\frac{1}{2}</math> of Section 33</p> <p style="text-align: center;">all of Section 34</p> <p style="text-align: center;">W<math>\frac{1}{2}</math> and SE<math>\frac{1}{4}</math> of Section 35</p> <p style="text-align: center;">SW<math>\frac{1}{4}</math> and W<math>\frac{1}{2}</math> SE<math>\frac{1}{4}</math> of Section 36</p> <p>Township 3 North, Range 10 East</p>	<p style="text-align: center;">NE<math>\frac{1}{4}</math>, E<math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math>, N<math>\frac{1}{2}</math> SE<math>\frac{1}{4}</math>, and SE<math>\frac{1}{4}</math> SE<math>\frac{1}{4}</math> of Section 10</p> <p style="text-align: center;">all of Section 11</p> <p style="text-align: center;">NE<math>\frac{1}{4}</math> NW<math>\frac{1}{4}</math> W<math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math> W<math>\frac{1}{2}</math> SW<math>\frac{1}{4}</math> of Section 12</p> <p style="text-align: center;">N<math>\frac{1}{2}</math> NE<math>\frac{1}{4}</math> NE<math>\frac{1}{4}</math> NW<math>\frac{1}{4}</math> W<math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math> NW<math>\frac{1}{4}</math> SW<math>\frac{1}{4}</math> of Section 14</p> <p style="text-align: center;">NE<math>\frac{1}{4}</math>, SE<math>\frac{1}{4}</math> NW<math>\frac{1}{4}</math> SW<math>\frac{1}{4}</math>, N<math>\frac{1}{2}</math> SE<math>\frac{1}{4}</math>, SW<math>\frac{1}{4}</math> SE<math>\frac{1}{4}</math> of Section 15</p> <p style="text-align: center;">SE<math>\frac{1}{4}</math> SW<math>\frac{1}{4}</math> and SE<math>\frac{1}{4}</math> of Section 16</p> <p>Township 2 North, Range 10 East</p>
<p style="text-align: center;">W<math>\frac{1}{2}</math> NE<math>\frac{1}{4}</math> and W<math>\frac{1}{2}</math> and NW<math>\frac{1}{4}</math> SE<math>\frac{1}{4}</math> of Section 1</p> <p style="text-align: center;">all of Section 2</p> <p style="text-align: center;">N<math>\frac{1}{2}</math>, E<math>\frac{1}{2}</math> SW<math>\frac{1}{4}</math> and SE<math>\frac{1}{4}</math> of Section 3</p> <p>Township 2 North, Range 10 East</p>	<p style="text-align: center;">NE<math>\frac{1}{4}</math> NE<math>\frac{1}{4}</math> and S<math>\frac{1}{2}</math> NE<math>\frac{1}{4}</math> E<math>\frac{1}{2}</math> SW<math>\frac{1}{4}</math> N<math>\frac{1}{2}</math> SE<math>\frac{1}{4}</math> of Section 20</p> <p style="text-align: center;">N<math>\frac{1}{2}</math> NW<math>\frac{1}{4}</math> of Section 21</p> <p>Township 2 North, Range 10 East</p>

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... none

12. Construction work will begin on or before ..... none

13. Construction work will be completed on or before ..... none

14. The water will be completely applied to the proposed use on or before February 15, 1975

FARMERS IRRIGATION DISTRICT

(Signature of applicant)

X

By

*Thasome A. ...*

President

Remarks: Water to be used for spray purposes during the crop year beginning in the spring from approximately February 15th of each year through approximately the 15th of November, depending on weather, the existence of bugs and pests and other variables in the orchards.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 30.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hood River

The use to which this water is to be applied is Orchard spraying

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 5, 1974

Actual construction work shall begin on or before March 4, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 4th day of March 1976

*James E. ...*  
WATER RESOURCES DIRECTOR STATE ENGINEER FH

Application No. 5262A  
Permit No. 39822

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of December 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 39822 of Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 16  
Fees